

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

descriptions are brief, rarely occupying more than five to ten lines, and relate generally to the adult plumage only. It is, therefore, what it purports to be, a 'Descriptive Catalogue,' rather than an elaborate treatise, and despite the absence of much that might be desired, did the scope of the work render it admissable, will prove extremely useful as a manual of Argentine ornithology. Ten beautifully colored plates illustrate the first volume, devoted to the Passeres. Volume II, treating the remaining orders, is announced to appear during the present year. — J. A. A.

Publications Received.—Berlepsch, Hans von. (1) On the Genus Cyclorhis, Swain. (Ibis, 1888, pp. 83-92.) (2) Descriptions of two new Species of Birds from Bogota, Colombia. (Ibid., pp. 128-130.) (3) Kritische Uebersicht der in den sogenannten Bogota-Collection (S. O. Colombia) vorkommenden Colibri-Arten und Beschreibung eines neuen Colibri (Cyanolesbia nehrkorni). (Journ. für Orn., Jahr. 1887, pp. 313-336. Also separate, pp. 24, Jan. 1888.)

Brewster, W. On three apparently new Subspecies of Mexican Birds. (Author's advance separates, Auk, V, pp. 136-139. Pub. Feb. 10, 1888.)

Brodie, W. The European Sparrow. Passer domesticus. (1 leaf, 4to size, no date).

Bryant, W. E. (1) Unusual Nesting Sites. II. (Bull. Cal. Acad. Sci., 2d Ser., Vol. I, pp. 7-10. Separates dated Dec. 20, 1887.) (2) Birds and Eggs from the Farallon Islands. (Ibid., pp. 25-50.)

Butler, A. W. Notes concerning Albinism among Birds. (Journ. Cincinnati Soc. Nat. Hist., Jan. 1888, pp. 214-216.)

Chamberlain, M. (1) A Catalogue of Canadian Birds, with Notes on the Distribution of the Species. Saint John, N. B.: J. and A. McMillan, 1887. 8vo, pp. v, 143. (2) A Systematic Table of Canadian Birds. Fol., St. John, N. B.

Dury, C. Albinos in the Cuvier Club Collection. (Journ. Cincinnati Soc. Nat. Hist., Jan., 1888, pp. 216, 217.)

Lucas, F. A. The Flight of Birds. (Science, Vol. XI, p. 58, Feb. 3, 1888.)

Menzbier, M. von. Vergleichende Osteologie der Penguine in Anwendung zur Haupteintheilung der Vögel. (8vo, pp. 105. Ex. du Bull. Soc. Imper. des Nat. de Moscow, 1887.)

Morse, E. A. Presidential Address, delivered before the American Association for the Advancement of Science, at the New York meeting, Aug. 1887. (8vo, pp. 43.)

Nehrling, H. Der Haubentyrann (Myiarchus cristatus Cab., Greatcrested Flycatcher). Monatssch. des Deutschen Ver. zum Schutze der Vogelwelt, Jahr. XII, 1887, pp. 95-99.) (2) Der Königsvogel (Tyrannus carolinensis Temm., Kingbird). (Ibid., pp. 211-217.)

Sclater, P. L., and W. H. Hudson. Argentine Ornithology. Vol. I, 1888. 8vo, pp. xv, 208, pll. 10.

Sharpe, R. B. (1) Notes on a Collection of Birds made by Mr. John Whitehead, on the Mountains of Kina Balu, in Northern Borneo, with Descriptions of new Species. (Ibis, Oct. 1887, pp. 435-454, pll. xiii,

xiv.) (2) Notes on specimens in the Hume Collection of Birds. No. 5. On Syrnium maingayi. (Proc. London Zool. Soc., 1887, pp. 470-478.) (3) On a Second Collection of Birds formed by Mr. L. Wray in the Mountains of Perak, Malay Peninsula. (Ibid., pp. 431-443, pll. xxxvii-xxxviii.) (4) Report on a Zoological Collection made by the Officers of H.M.S. 'Flying Fish' at Christmas Island, Indian Ocean. II. Birds. (Ibid., pp. 515, 516, pl. xliii.) (5) On a new species of Calyptomæna. (Ibid., pp. 558.) Shufeldt, R. W. Audubonian Sketches. I, II. (Aud. Mag., Vol. I, pp. 268-271; Vol. II, pp. 1-6.)

Agassiz Companion, II, No. 12, Dec., 1887.

American Field, XXIX, Nos. 1-11, 1888.

American Journ. Sci. XXIV, Jan.-Mch., 1888.

American Naturalist, XXI, Dec., 1887, XXII, Jan.-Feb., 1888.

Audubon Magazine, II, Jan.-Mch., 1888.

Bay State Oölogist, I, No. 2, Feb., 1888.

Bird Call, II, Jan.-Mch., 1888.

Canadian Record of Science, III, No. 1, Jan., 1888.

Collectors' Illustrated Magazine. I, No. 2, Feb., 1888.

Hoosier Naturalist, III, No. 2, Mar., 1888.

Journal Cincinnati Soc. Nat. Hist., X, No. 4, Jan., 1888.

Naturalist, The, a Monthly Journ. Nat. Hist. for the North of England, Nos. 150-152, Jan.-Mch., 1888.

Oölogist's Exchange, I, No. 1, Jan., 1888.

Ornithologist and Oölogist, XII, No. 12, 1887, Nos. 1-3, 1888.

Ottawa Naturalist, I, Nos. 11-13, Jan.-Mch., 1888.

Proceedings Acad. Nat. Sci. Phila., 1887, Pt. III, Sept.-Dec.

Proceedings U. S. Nat. Mus., 1887, pp. 449-496.

Swiss Cross, III, Jan.-Mch., 1888.

Zoologischen Anzeiger, Nos. 267-273.

Zoologist, XII, Jan.-Mch., 1888.

GENERAL NOTES.

Æchmophorus occidentalis in Kansas. — I wish to place on record the capture on the Kansas River at this place, on Nov. 3, 1887, of a young male of the Western Grebe, Æchmophorus occidentalis (Lawr). It was shot by a colored man, who brought it to me as a curious bird. The species has never before been taken farther east than Manitoba and the Gila River in New Mexico. Its capture here extends its eastward range more than a thousand miles. The following measurements were taken: